

# warma

Engineering, Technology & Art

## Towel Warmer Range

( January 2022 )



[www.warma.com.tr](http://www.warma.com.tr)



CE

EN 442

**Fina Flat Anthracite 500 x 800 mm.**



**Fina Flat White 500 x 800 mm.**



**Fina Flat Chrome 500 x 800 mm.**



**Fina Flat White 500 x 1000 mm.**



**Fina Flat Chrome 500 x 1000 mm.**



**Fina Flat Anthracite 500 x 1000 mm.**



**Fina Flat Chrome 500 x 1200 mm.**



**Fina Flat Anthracite 500 x 1200 mm.**



**Fina Flat White 500 x 1200 mm.**



**Fina Flat Anthracite 500 x 1400 mm.**



**Fina Flat White 500 x 1400 mm.**



**Fina Flat Chrome 500 x 1400 mm.**



**Fina Flat White 500 x 1600 mm.**



**Fina Flat Chrome 500 x 1600 mm.**



**Fina Flat Anthracite 500 x 1600 mm.**



**Fina Flat Chrome 500 x 1800 mm.**





**Fina Flat Anthracite 500 x 1800 mm.**



**Fina Flat White 500 x 1800 mm.**



Mid Connection 50 mm.



H : 800 mm

H : 1000 mm

H : 1200 mm

H : 1400 mm

H : 1600 mm

H : 1800 mm

S / C	Color	RAL Code	Size (mm)	Bar Diameter (mm)	Pipe Quantity (pcs)	Tapping Center (mm)	Heat Output Capacity Delta 50 Watts	Water Content (Lt)	Material	Product Package Size cm x cm x cm	Package Volume Dm3	Pallet Size cm x cm	Product Quantity on Pallet
Straight	White	9016	300 x 800	22 mm	14 (4+10)	255	240	2,8	Steel	( 31 x 83 x 4 )	10,29	97 x 87	150 pcs
Straight	White	9016	300 x 1000	22 mm	16 (4+6+6)	255	271	3,4	Steel	( 31 x 103 x 4 )	12,77	97 x 107	150 pcs
Straight	White	9016	300 x 1200	22 mm	20 (4+6+10)	255	331	4,2	Steel	( 31 x 123 x 4 )	15,25	97 x 127	150 pcs
Straight	White	9016	300 x 1400	22 mm	22 (4+5+5+8)	255	372	4,7	Steel	( 31 x 143 x 4 )	17,73	97 x 147	150 pcs
Straight	White	9016	300 x 1600	22 mm	26 (4+6+6+10)	255	432	5,5	Steel	( 31 x 163 x 4 )	20,21	97 x 167	150 pcs
Straight	White	9016	300 x 1800	22 mm	30 (6+6+8+10)	255	491	6,3	Steel	( 31 x 183 x 4 )	22,69	97 x 187	150 pcs
Straight	White	9016	400 x 800	22 mm	14 (4+10)	355	296	3,3	Steel	( 41 x 83 x 4 )	13,61	86 x 87	100 pcs
Straight	White	9016	400 x 1000	22 mm	16 (4+6+6)	355	332	3,9	Steel	( 41 x 103 x 4 )	16,89	86 x 107	100 pcs
Straight	White	9016	400 x 1200	22 mm	20 (4+6+10)	355	407	4,8	Steel	( 41 x 123 x 4 )	20,17	86 x 127	100 pcs
Straight	White	9016	400 x 1400	22 mm	22 (4+5+5+8)	355	455	5,5	Steel	( 41 x 143 x 4 )	23,45	86 x 147	100 pcs
Straight	White	9016	400 x 1600	22 mm	26 (4+6+6+10)	355	530	6,3	Steel	( 41 x 163 x 4 )	26,73	86 x 167	100 pcs
Straight	White	9016	400 x 1800	22 mm	30 (6+6+8+10)	355	605	7,2	Steel	( 41 x 183 x 4 )	30,01	86 x 187	100 pcs
Straight	White	9016	500 x 800	22 mm	14 (4+10)	455	353	3,8	Steel	( 51 x 83 x 4 )	16,93	106 x 87	100 pcs
Straight	White	9016	500 x 1000	22 mm	16 (4+6+6)	455	393	4,5	Steel	( 51 x 103 x 4 )	21,01	106 x 107	100 pcs
Straight	White	9016	500 x 1200	22 mm	20 (4+6+10)	455	483	5,5	Steel	( 51 x 123 x 4 )	25,09	106 x 127	100 pcs
Straight	White	9016	500 x 1400	22 mm	22 (4+5+5+8)	455	539	6,2	Steel	( 51 x 143 x 4 )	29,17	106 x 147	100 pcs
Straight	White	9016	500 x 1600	22 mm	26 (4+6+6+10)	455	629	7,2	Steel	( 51 x 163 x 4 )	33,25	106 x 167	100 pcs
Straight	White	9016	500 x 1800	22 mm	30 (6+6+8+10)	455	719	8,2	Steel	( 51 x 183 x 4 )	37,33	106 x 187	100 pcs
Straight	White	9016	600 x 800	22 mm	14 (4+10)	555	409	4,2	Steel	( 61 x 83 x 4 )	20,25	126 x 87	100 pcs
Straight	White	9016	600 x 1000	22 mm	16 (4+6+6)	555	454	5,0	Steel	( 61 x 103 x 4 )	25,13	126 x 107	100 pcs
Straight	White	9016	600 x 1200	22 mm	20 (4+6+10)	555	560	6,1	Steel	( 61 x 123 x 4 )	30,01	126 x 127	100 pcs
Straight	White	9016	600 x 1400	22 mm	22 (4+5+5+8)	555	622	6,9	Steel	( 61 x 143 x 4 )	34,89	126 x 147	100 pcs
Straight	White	9016	600 x 1600	22 mm	26 (4+6+6+10)	555	727	8,0	Steel	( 61 x 163 x 4 )	39,77	126 x 167	100 pcs
Straight	White	9016	600 x 1800	22 mm	30 (6+6+8+10)	555	833	9,2	Steel	( 61 x 183 x 4 )	44,65	126 x 187	100 pcs
Straight	White	9016	750 x 800	22 mm	14 (4+10)	705	494	4,9	Steel	( 76 x 83 x 4 )	25,23	80 x 87	50 pcs
Straight	White	9016	750 x 1000	22 mm	16 (4+6+6)	705	546	5,8	Steel	( 76 x 103 x 4 )	31,31	80 x 107	50 pcs
Straight	White	9016	750 x 1200	22 mm	20 (4+6+10)	705	674	7,1	Steel	( 76 x 123 x 4 )	37,39	80 x 127	50 pcs
Straight	White	9016	750 x 1400	22 mm	22 (4+5+5+8)	705	747	8,0	Steel	( 76 x 143 x 4 )	43,47	80 x 147	50 pcs
Straight	White	9016	750 x 1600	22 mm	26 (4+6+6+10)	705	875	9,3	Steel	( 76 x 163 x 4 )	49,55	80 x 167	50 pcs
Straight	White	9016	750 x 1800	22 mm	30 (6+6+8+10)	705	1003	10,7	Steel	( 76 x 183 x 4 )	55,63	80 x 187	50 pcs

S / C	Color	RAL Code	Size (mm)	Bar Diameter (mm)	Pipe Quantity (pcs)	Tapping Center (mm)	Heat Output Capacity Delta 50 Watts	Water Content (Lt)	Material	Product Package Size cm x cm x cm	Package Volume Dm3	Pallet Size cm x cm	Product Quantity on Pallet
Curved	White	9016	300 x 800	22 mm	14 (4+10)	255	240	2,8	Steel	( 31 x 83 x 4 )	10,29	97 x 87	150 pcs
Curved	White	9016	300 x 1000	22 mm	16 (4+6+6)	255	271	3,4	Steel	( 31 x 103 x 4 )	12,77	97 x 107	150 pcs
Curved	White	9016	300 x 1200	22 mm	20 (4+6+10)	255	331	4,2	Steel	( 31 x 123 x 4 )	15,25	97 x 127	150 pcs
Curved	White	9016	300 x 1400	22 mm	22 (4+5+5+8)	255	372	4,7	Steel	( 31 x 143 x 4 )	17,73	97 x 147	150 pcs
Curved	White	9016	300 x 1600	22 mm	26 (4+6+6+10)	255	432	5,5	Steel	( 31 x 163 x 4 )	20,21	97 x 167	150 pcs
Curved	White	9016	300 x 1800	22 mm	30 (6+6+8+10)	255	491	6,3	Steel	( 31 x 183 x 4 )	22,69	97 x 187	150 pcs
Curved	White	9016	400 x 800	22 mm	14 (4+10)	355	296	3,3	Steel	( 41 x 83 x 4 )	13,61	86 x 87	100 pcs
Curved	White	9016	400 x 1000	22 mm	16 (4+6+6)	355	332	3,9	Steel	( 41 x 103 x 4 )	16,89	86 x 107	100 pcs
Curved	White	9016	400 x 1200	22 mm	20 (4+6+10)	355	407	4,8	Steel	( 41 x 123 x 4 )	20,17	86 x 127	100 pcs
Curved	White	9016	400 x 1400	22 mm	22 (4+5+5+8)	355	455	5,5	Steel	( 41 x 143 x 4 )	23,45	86 x 147	100 pcs
Curved	White	9016	400 x 1600	22 mm	26 (4+6+6+10)	355	530	6,3	Steel	( 41 x 163 x 4 )	26,73	86 x 167	100 pcs
Curved	White	9016	400 x 1800	22 mm	30 (6+6+8+10)	355	605	7,2	Steel	( 41 x 183 x 4 )	30,01	86 x 187	100 pcs
Curved	White	9016	500 x 800	22 mm	14 (4+10)	455	353	3,8	Steel	( 51 x 83 x 4 )	16,93	106 x 87	100 pcs
Curved	White	9016	500 x 1000	22 mm	16 (4+6+6)	455	393	4,5	Steel	( 51 x 103 x 4 )	21,01	106 x 107	100 pcs
Curved	White	9016	500 x 1200	22 mm	20 (4+6+10)	455	483	5,5	Steel	( 51 x 123 x 4 )	25,09	106 x 127	100 pcs
Curved	White	9016	500 x 1400	22 mm	22 (4+5+5+8)	455	539	6,2	Steel	( 51 x 143 x 4 )	29,17	106 x 147	100 pcs
Curved	White	9016	500 x 1600	22 mm	26 (4+6+6+10)	455	629	7,2	Steel	( 51 x 163 x 4 )	33,25	106 x 167	100 pcs
Curved	White	9016	500 x 1800	22 mm	30 (6+6+8+10)	455	719	8,2	Steel	( 51 x 183 x 4 )	37,33	106 x 187	100 pcs
Curved	White	9016	600 x 800	22 mm	14 (4+10)	555	409	4,2	Steel	( 61 x 83 x 4 )	20,25	126 x 87	100 pcs
Curved	White	9016	600 x 1000	22 mm	16 (4+6+6)	555	454	5,0	Steel	( 61 x 103 x 4 )	25,13	126 x 107	100 pcs
Curved	White	9016	600 x 1200	22 mm	20 (4+6+10)	555	560	6,1	Steel	( 61 x 123 x 4 )	30,01	126 x 127	100 pcs
Curved	White	9016	600 x 1400	22 mm	22 (4+5+5+8)	555	622	6,9	Steel	( 61 x 143 x 4 )	34,89	126 x 147	100 pcs
Curved	White	9016	600 x 1600	22 mm	26 (4+6+6+10)	555	727	8,0	Steel	( 61 x 163 x 4 )	39,77	126 x 167	100 pcs
Curved	White	9016	600 x 1800	22 mm	30 (6+6+8+10)	555	833	9,2	Steel	( 61 x 183 x 4 )	44,65	126 x 187	100 pcs
Curved	White	9016	750 x 800	22 mm	14 (4+10)	705	494	4,9	Steel	( 76 x 83 x 4 )	25,23	80 x 87	50 pcs
Curved	White	9016	750 x 1000	22 mm	16 (4+6+6)	705	546	5,8	Steel	( 76 x 103 x 4 )	31,31	80 x 107	50 pcs
Curved	White	9016	750 x 1200	22 mm	20 (4+6+10)	705	674	7,1	Steel	( 76 x 123 x 4 )	37,39	80 x 127	50 pcs
Curved	White	9016	750 x 1400	22 mm	22 (4+5+5+8)	705	747	8,0	Steel	( 76 x 143 x 4 )	43,47	80 x 147	50 pcs
Curved	White	9016	750 x 1600	22 mm	26 (4+6+6+10)	705	875	9,3	Steel	( 76 x 163 x 4 )	49,55	80 x 167	50 pcs
Curved	White	9016	750 x 1800	22 mm	30 (6+6+8+10)	705	1003	10,7	Steel	( 76 x 183 x 4 )	55,63	80 x 187	50 pcs

S / C	Color	RAL Code	Size (mm)	Bar Diameter (mm)	Pipe Quantity (pcs)	Tapping Center (mm)	Heat Output Capacity Delta 50 Watts	Water Content (Lt)	Material	Product Package Size cm x cm x cm	Package Volume Dm3	Pallet Size cm x cm	Product Quantity on Pallet
Straight	Chrome		300 x 800	22 mm	14 (4+10)	255	159	2,8	Steel	( 31 x 83 x 4 )	10,29	97 x 87	150 pcs
Straight	Chrome		300 x 1000	22 mm	16 (4+6+6)	255	184	3,4	Steel	( 31 x 103 x 4 )	12,77	97 x 107	150 pcs
Straight	Chrome		300 x 1200	22 mm	20 (4+6+10)	255	225	4,2	Steel	( 31 x 123 x 4 )	15,25	97 x 127	150 pcs
Straight	Chrome		300 x 1400	22 mm	22 (4+5+5+8)	255	255	4,7	Steel	( 31 x 143 x 4 )	17,73	97 x 147	150 pcs
Straight	Chrome		300 x 1600	22 mm	26 (4+6+6+10)	255	296	5,5	Steel	( 31 x 163 x 4 )	20,21	97 x 167	150 pcs
Straight	Chrome		300 x 1800	22 mm	30 (6+6+8+10)	255	336	6,3	Steel	( 31 x 183 x 4 )	22,69	97 x 187	150 pcs
Straight	Chrome		400 x 800	22 mm	14 (4+10)	355	196	3,3	Steel	( 41 x 83 x 4 )	13,61	86 x 87	100 pcs
Straight	Chrome		400 x 1000	22 mm	16 (4+6+6)	355	226	3,9	Steel	( 41 x 103 x 4 )	16,89	86 x 107	100 pcs
Straight	Chrome		400 x 1200	22 mm	20 (4+6+10)	355	277	4,8	Steel	( 41 x 123 x 4 )	20,17	86 x 127	100 pcs
Straight	Chrome		400 x 1400	22 mm	22 (4+5+5+8)	355	312	5,5	Steel	( 41 x 143 x 4 )	23,45	86 x 147	100 pcs
Straight	Chrome		400 x 1600	22 mm	26 (4+6+6+10)	355	363	6,3	Steel	( 41 x 163 x 4 )	26,73	86 x 167	100 pcs
Straight	Chrome		400 x 1800	22 mm	30 (6+6+8+10)	355	414	7,2	Steel	( 41 x 183 x 4 )	30,01	86 x 187	100 pcs
Straight	Chrome		500 x 800	22 mm	14 (4+10)	455	233	3,8	Steel	( 51 x 83 x 4 )	16,93	106 x 87	100 pcs
Straight	Chrome		500 x 1000	22 mm	16 (4+6+6)	455	268	4,5	Steel	( 51 x 103 x 4 )	21,01	106 x 107	100 pcs
Straight	Chrome		500 x 1200	22 mm	20 (4+6+10)	455	330	5,5	Steel	( 51 x 123 x 4 )	25,09	106 x 127	100 pcs
Straight	Chrome		500 x 1400	22 mm	22 (4+5+5+8)	455	369	6,2	Steel	( 51 x 143 x 4 )	29,17	106 x 147	100 pcs
Straight	Chrome		500 x 1600	22 mm	26 (4+6+6+10)	455	431	7,2	Steel	( 51 x 163 x 4 )	33,25	106 x 167	100 pcs
Straight	Chrome		500 x 1800	22 mm	30 (6+6+8+10)	455	492	8,2	Steel	( 51 x 183 x 4 )	37,33	106 x 187	100 pcs
Straight	Chrome		600 x 800	22 mm	14 (4+10)	555	271	4,2	Steel	( 61 x 83 x 4 )	20,25	126 x 87	100 pcs
Straight	Chrome		600 x 1000	22 mm	16 (4+6+6)	555	309	5,0	Steel	( 61 x 103 x 4 )	25,13	126 x 107	100 pcs
Straight	Chrome		600 x 1200	22 mm	20 (4+6+10)	555	382	6,1	Steel	( 61 x 123 x 4 )	30,01	126 x 127	100 pcs
Straight	Chrome		600 x 1400	22 mm	22 (4+5+5+8)	555	426	6,9	Steel	( 61 x 143 x 4 )	34,89	126 x 147	100 pcs
Straight	Chrome		600 x 1600	22 mm	26 (4+6+6+10)	555	498	8,0	Steel	( 61 x 163 x 4 )	39,77	126 x 167	100 pcs
Straight	Chrome		600 x 1800	22 mm	30 (6+6+8+10)	555	570	9,2	Steel	( 61 x 183 x 4 )	44,65	126 x 187	100 pcs
Straight	Chrome		750 x 800	22 mm	14 (4+10)	705	327	4,9	Steel	( 76 x 83 x 4 )	25,23	80 x 87	50 pcs
Straight	Chrome		750 x 1000	22 mm	16 (4+6+6)	705	372	5,8	Steel	( 76 x 103 x 4 )	31,31	80 x 107	50 pcs
Straight	Chrome		750 x 1200	22 mm	20 (4+6+10)	705	460	7,1	Steel	( 76 x 123 x 4 )	37,39	80 x 127	50 pcs
Straight	Chrome		750 x 1400	22 mm	22 (4+5+5+8)	705	512	8,0	Steel	( 76 x 143 x 4 )	43,47	80 x 147	50 pcs
Straight	Chrome		750 x 1600	22 mm	26 (4+6+6+10)	705	600	9,3	Steel	( 76 x 163 x 4 )	49,55	80 x 167	50 pcs
Straight	Chrome		750 x 1800	22 mm	30 (6+6+8+10)	705	687	10,7	Steel	( 76 x 183 x 4 )	55,63	80 x 187	50 pcs

S / C	Color	RAL Code	Size (mm)	Bar Diameter (mm)	Pipe Quantity (pcs)	Tapping Center (mm)	Heat Output Capacity Delta 50 Watts	Water Content (Lt)	Material	Product Package Size cm x cm x cm	Package Volume Dm3	Pallet Size cm x cm	Product Quantity on Pallet
Curved	Chrome		300 x 800	22 mm	14 (4+10)	255	159	2,8	Steel	( 31 x 83 x 4 )	10,29	97 x 87	150 pcs
Curved	Chrome		300 x 1000	22 mm	16 (4+6+6)	255	184	3,4	Steel	( 31 x 103 x 4 )	12,77	97 x 107	150 pcs
Curved	Chrome		300 x 1200	22 mm	20 (4+6+10)	255	225	4,2	Steel	( 31 x 123 x 4 )	15,25	97 x 127	150 pcs
Curved	Chrome		300 x 1400	22 mm	22 (4+5+5+8)	255	255	4,7	Steel	( 31 x 143 x 4 )	17,73	97 x 147	150 pcs
Curved	Chrome		300 x 1600	22 mm	26 (4+6+6+10)	255	296	5,5	Steel	( 31 x 163 x 4 )	20,21	97 x 167	150 pcs
Curved	Chrome		300 x 1800	22 mm	30 (6+6+8+10)	255	336	6,3	Steel	( 31 x 183 x 4 )	22,69	97 x 187	150 pcs
Curved	Chrome		400 x 800	22 mm	14 (4+10)	355	196	3,3	Steel	( 41 x 83 x 4 )	13,61	86 x 87	100 pcs
Curved	Chrome		400 x 1000	22 mm	16 (4+6+6)	355	226	3,9	Steel	( 41 x 103 x 4 )	16,89	86 x 107	100 pcs
Curved	Chrome		400 x 1200	22 mm	20 (4+6+10)	355	277	4,8	Steel	( 41 x 123 x 4 )	20,17	86 x 127	100 pcs
Curved	Chrome		400 x 1400	22 mm	22 (4+5+5+8)	355	312	5,5	Steel	( 41 x 143 x 4 )	23,45	86 x 147	100 pcs
Curved	Chrome		400 x 1600	22 mm	26 (4+6+6+10)	355	363	6,3	Steel	( 41 x 163 x 4 )	26,73	86 x 167	100 pcs
Curved	Chrome		400 x 1800	22 mm	30 (6+6+8+10)	355	414	7,2	Steel	( 41 x 183 x 4 )	30,01	86 x 187	100 pcs
Curved	Chrome		500 x 800	22 mm	14 (4+10)	455	233	3,8	Steel	( 51 x 83 x 4 )	16,93	106 x 87	100 pcs
Curved	Chrome		500 x 1000	22 mm	16 (4+6+6)	455	268	4,5	Steel	( 51 x 103 x 4 )	21,01	106 x 107	100 pcs
Curved	Chrome		500 x 1200	22 mm	20 (4+6+10)	455	330	5,5	Steel	( 51 x 123 x 4 )	25,09	106 x 127	100 pcs
Curved	Chrome		500 x 1400	22 mm	22 (4+5+5+8)	455	369	6,2	Steel	( 51 x 143 x 4 )	29,17	106 x 147	100 pcs
Curved	Chrome		500 x 1600	22 mm	26 (4+6+6+10)	455	431	7,2	Steel	( 51 x 163 x 4 )	33,25	106 x 167	100 pcs
Curved	Chrome		500 x 1800	22 mm	30 (6+6+8+10)	455	492	8,2	Steel	( 51 x 183 x 4 )	37,33	106 x 187	100 pcs
Curved	Chrome		600 x 800	22 mm	14 (4+10)	555	271	4,2	Steel	( 61 x 83 x 4 )	20,25	126 x 87	100 pcs
Curved	Chrome		600 x 1000	22 mm	16 (4+6+6)	555	309	5,0	Steel	( 61 x 103 x 4 )	25,13	126 x 107	100 pcs
Curved	Chrome		600 x 1200	22 mm	20 (4+6+10)	555	382	6,1	Steel	( 61 x 123 x 4 )	30,01	126 x 127	100 pcs
Curved	Chrome		600 x 1400	22 mm	22 (4+5+5+8)	555	426	6,9	Steel	( 61 x 143 x 4 )	34,89	126 x 147	100 pcs
Curved	Chrome		600 x 1600	22 mm	26 (4+6+6+10)	555	498	8,0	Steel	( 61 x 163 x 4 )	39,77	126 x 167	100 pcs
Curved	Chrome		600 x 1800	22 mm	30 (6+6+8+10)	555	570	9,2	Steel	( 61 x 183 x 4 )	44,65	126 x 187	100 pcs
Curved	Chrome		750 x 800	22 mm	14 (4+10)	705	327	4,9	Steel	( 76 x 83 x 4 )	25,23	80 x 87	50 pcs
Curved	Chrome		750 x 1000	22 mm	16 (4+6+6)	705	372	5,8	Steel	( 76 x 103 x 4 )	31,31	80 x 107	50 pcs
Curved	Chrome		750 x 1200	22 mm	20 (4+6+10)	705	460	7,1	Steel	( 76 x 123 x 4 )	37,39	80 x 127	50 pcs
Curved	Chrome		750 x 1400	22 mm	22 (4+5+5+8)	705	512	8,0	Steel	( 76 x 143 x 4 )	43,47	80 x 147	50 pcs
Curved	Chrome		750 x 1600	22 mm	26 (4+6+6+10)	705	600	9,3	Steel	( 76 x 163 x 4 )	49,55	80 x 167	50 pcs
Curved	Chrome		750 x 1800	22 mm	30 (6+6+8+10)	705	687	10,7	Steel	( 76 x 183 x 4 )	55,63	80 x 187	50 pcs



warma



Export Company

**YAPI**  
DİŞ TİCARET LTD.

Yapı Dış Ticaret Limited Şirketi

Sanatkarlar Caddesi No : 29  
Organised Industrial Zone of Muradiye / Manisa / TURKEY

Production Company

**warma**

Warma Isı Ürünleri Makine Sanayi ve Ticaret Ltd. Şti

Sanatkarlar Caddesi No : 29  
Organised Industrial Zone of Muradiye / Manisa / TURKEY

Turkey

Discover  
the potential

CE

[www.warma.com.tr](http://www.warma.com.tr)

EN 442  
EURONORM